

# Dash & Plastic Repair Products

Item	Page
465	22
466	22
1046	9
2045	21
7005	22
20396	17
39767	8
39793	15
39803	15
39813	15
39853	15
39863	4
68422	7
68432	7
68442	7
90412	22
961710	22
07447-1	22
07447-8	22
1000-1	3
1000-16	3
1000-4	3
1000-A	3
1050-A	4
1050-G	4
1050-Q	4
2000-T	7
2050-9	9
3000/4	5
3000-16	5
3000-4	5
3000-G	5
3800/4	13
3800-1	13
3800-16	13
3800-4	13
3800-A	13
4909-16	7
4909-16	9
4909-8	7
4909-8	9
4909A-4	9
5600HT	20
6005HT	21
6028HT	21
6028RT	21
	-
6481-2	21
70-01-14	19
70-01-52	19
72-01-02	19
72-01-14	19
72-01-52	19
72-07TU	19
80-04U	19

item	Page
80-07U	19
82-04U	19
82-07U	19
8222L	22
BC-6	5
BC-6	5
BC-A	5 5 5 5 5 5 5
BC-A	5
BC-G	5
BC-G	5
BC-P	5
BC-P	- 5
Acceptable to the second secon	5
BC-Q	5
BC-Q	5
BD-16	10
BD-2	10
BD-4	10
BD-G	10
BPT	22
BULL-A	5
CA-4	14
CA-8	14
СВ	18
DDVD	18
DRK-1	22
DRK-S	
FW-16	22
Married Control of the Control of th	10
FW-2	10
FW-4	10
FW-G	10
GC-16	16
GC-4	16
GCC	16
GC-C	8
GC-C	16
GC-GUN	8
GC-GUN	16
GC-KIT	8
GC-KIT	16
GC-TIPS	8
GC-TIPS	16
GG1-16	12
	77.00
GG1-2	12
GG1-4	12
GG-16	10
GG-2	10
GG-4	10
GG-G	10
GP1	16
GPS-6	16
GP-SET	16
GPSET-10	16
GR-870	17
GR-870L	17
	1.7

Item	Page
GR-872	17
HD	19
HDC-16	11
HDC-2	11
HDC-4	11
HDC-G	11
HL1600S	19
HL1810S	19
HL1910E	19
HL2010E	19
M870-9200	17
MB-16	8
MB-2	8
MB-4	8
MDTA-4	14
MDTA-A	14
MDTB-4	14
MDTB-A	14
MT-4	22
PC-16	14
PC-16	14
<del></del>	
PC-A	14
PP-8	5
PP-G	5
PP-P	5
PP-Q	5
PT-02	6
PT-08	6
PT-15	6
PT-15A	6
PT-15G	6
PT-15P	6
PT-16	6
PT-20	6
PT-31	6
PT-31C	6
PT-32	6
QF	9
R1	21
R2	21
R3	21
R4	21
R5	21
R6	21
R7	21
R8	21
S100-G	3
S100-P	3
S100-Q	
SA-8	3 4
SA-G	4
SA-P	4
SA-Q	4
SCISSORS-LG	17
	7.7

ltem	Page
SCISSORS-SM	17
SITM	18
SPG	6
SUPEX-A	13
SVC-8	3
SVC-G	3
SVC-P	3
SVC-Q	3
T12-2	11
T12-Q	11
TM-9	18
TP-16	13
TP-2	13
TP-4	13
UT-100SI	19
UT-100SIK	19
UT-200	
UT-200SI	19 19
THE RESERVE TO STATE OF THE STA	747.5
VM-1	18
VM12-4	12
VM12-A	12
VM12-P	12
VM12-Q	12
VPPS-G	4
VPPS-P	4
VPPS-Q	4
VRC-16	10
VRC-2	10
VRC-4	10
VRCD-1	11
VRCD-4	11
VRCF-16	11
VRCF-2	11
VRCF-4	11
VRCF-G	11
VRC-G	10
VRK-1	22
VSP	18
VSP-A	18
WBSG-16	12
WBSG2-16	12
WBSG2-32	12
WBSG2-4	12
WBSG2-8	12
WBSG2-G	12
WBSG-32	12
WBSG-4	12
WBSG-A	12
WBSG-A WBSG-G	12
Z7-8	3
THE PARTY OF THE P	3
Z7-G	3
Z7-P	
Z7-Q	3

Dash & Plastic Repair Products

Cleaner used for removing dirt and soils from leather, vinyl and various surfaces.

### Features:

- Water Base
- Non abrasive
- Fast cleaning
- Quick drying
- Non flammable
- Ecologically friendly
- Odorless

Item	Capacity Ounces/milliliters	Set
SVC-8	8 fl.oz / 237 ml	1
SVC-P	16 fl.oz / 473 ml	ï
SVC-Q	32 fl.oz / 946 ml	1
SVC-G	128 fl.oz / 3785 ml	1



CLEANER

Cleaner used for removing dirt and soils from leather, vinyl and various surfaces. Used to prepare surface for repairing and recoloring.

### Features:

- · Water Base
- Extra Strength

Capacity

Ounces milliliter

8 fl.oz / 237 ml

16 fl.oz / 473 ml 32 fl.oz / 946 ml

128 fl.oz / 3785 ml

	RIOR Products, Inc.
Se .	
CLEA	Z7-P LEATHER NER
A PROTECT BIOTISOFT A => BA BIT PROTE BYBOLO	TANYE & LA SERIO TANYE & TANYE & TANYE & TANYE & TONYE
-	

### Super Clean Plastic Cleaner

Removes mold release agents, wax, grease, tar and other contaminants from

- Fast drying



### Silicone Wash

Item

Z7-8

Z7-P

Z7-Q

Z7-G

**CLEANER & PREP** 

Removes silicone and wax from all surfaces in preparation for repairing and recoloring.

Set

1

- Fast drving
- Metal container



Item	Capacity Ounces/milliliters	Set
S100-P	16 fl.oz / 473 ml	Ţ
S100-Q	32 fl.oz / 946 ml	1
S100-G	128 fl.oz / 3785 ml	1

Dash & Plastic Repair Products

Cleaner used on vinyl where the water base coating is peeling.

### Features:

 Cleans and restores surface



PRIMER

Used for preparing vinyl and plastic before repairing and recoloring.

### Features:

- Residue free adhesion
- · Softens material for adhesion



Item	Capacity Ounces/milliliters	Set
VPPS-P	16 fl.oz / 473 ml	1
VPPS-Q	32 fl.oz / 946 ml	1
VPPS-G	128 fl.oz / 3785 ml	1

### Plastic Magic

Item

SA-8

SA-P SA-Q

SA-G

Used for adhesion on all plastics.

Capacity

Ounces milliliters

8 fl.oz / 237 ml

16 fl.oz / 473 ml

32 fl.oz / 946 ml

128 fl.oz / 3785 ml

Set



### **Plastic Adhesion Promoter**

PRIMER

### Used for adhesion on all plastics.

- Solvent Base
- Promotes adhesion
- Various applications



### Used for adhesion on all plastics.

### Features:

- · Solvent Base
- Promotes adhesion
- Various applications



Item	Capacity Ounces/milliliters	
BULL-A	128 fl.oz / 3785 ml	1

### Water base primer to fill in any pinholes and prepare area for painting. It can also be used as a texture.

### Features:

- · Water Base
- Texture capabilities

Water Base Primer Surfacer




Item	Capacity Ounces/militiers	Set
3000/4	4 fl.oz / 118 ml	1
3000-16	16 fl.oz / 473 ml	1
3000-4	32 fl.oz / 946 ml	1
3000-G	128 fl.oz / 3785 ml	4

### Plastic Primer **Barrier Coat** PRIMER SEALER

### Primer for plastic surfaces.

### Features:

- Water Base
- Multiple applications
- Promotes adhesion



Item	Capacity Ounces/milliliters	Set
PP-8	8 fl.oz / 237 ml	
PP-P	16 fl oz / 473 ml	1
PP-Q	32 fl.oz / 946 ml	Ţ
PP-G	128 fl.oz / 3785 ml	1

Used to improve resistance of vinyl compound, making a seal between the repair compound and dyeing process. Also hides "flaws" "halos" resulting and from repair.

### Features:

- · Solvent Base
- Texturing capabilities
- · Clear

Item	Capacity Ounces/milliliters	Set
BC-A	11.25 fl.oz / 319 ml	1
BC-6	6 fl.oz / 177 ml	1
BC-P	16 fl.oz / 473 ml	1.
BC-Q	32 fl.oz / 946 ml	1
BC-G	128 fl.oz / 3785 ml	1.



## Dash & Plastic Repair Products

Dash & Plastic Repair Products

We have available a wide range of cyanoacrylates adhesives to be used on all type of repairs and materials, from high viscosity to very thin viscosity, flexible or rigid, etc.



### PT-08 - Bond CA Features: Clear Super Thin Viscosity Rigid Toz (28.4gr) SUPERIOR BOND CA SUPERIOR BOND CA SUPERIOR When the superior of the















Adhesive for vinyl and leather: Resistant, flexible, sandable and fast-drying.

Also used to repair small damages on dashes, armrests or any plastic materials.

### Features:

- · Solvent Base
- Strong adhesion

Item	Capacity Ounces/millibrers	Set
4909-8	8 fl.oz / 237 ml	1
4909-16	16 fl.oz / 473 ml	1



Flexible 2 part filler used to fill up medium to large on plastics. Sands easily after 15 minutes.

### Features:

Flex Filler 2

- Epoxy
- Flexible
- · Strong adhesion



REPAIR ADHESIVE

Item	Capacity Ounces / milliliters	Set
2000-T	10 fl.oz / 295 ml	1

### Mini-Max™ Repair Adhesive

### Bumper Repair Adhesive

Mini-Max<sup>TM</sup> Bumper Repair is a twocomponent, epoxy-based filler for repairing small damage to bumpers and rigid or semi-rigid plastics.



### General Purpose Adhesive

Mini-Max<sup>TM</sup>
General Purpose
Adhesive is
a two
component
epoxybased
adhesive
for fast
bonds on
most
surfaces.



### Clear Fast Set Adhesive

Mini-Max<sup>TM</sup> Clear

Fast Set Adhesive is a two-component clear epoxy for an invisible bond on plastic, metal, fiberglass and wood.



### Dash

## Dash & Plastic Repair Products

### superior@superiorrestoration.com

Problem Plastic Repair Material is a two component epoxy based filler for repairing olefin-based plastics and similar rigid and semi-rigid substrates. Features:


- Dual-Mix Forever Warranty
- No adhesion promoter necessary.
   Superior adhesion
- Excellent sanding and feather edge
- · Does not shrink or pinhole

Item	Capacity Ounces/milliliters	Set
39767	16 fl.oz / 473 ml	1

- Zero VOC Suitable Substrates
- Olefin-based plastics
- · Semi-rigid and rigid plastics







### Micro Ballon

FILLER

Product used in combination with our cyanoacrylate adhesive "Bond CA" to fill up medium cracks and holes. It cures instantaneously to fill small to medium cracks and holes on dashes, armrests and various plastics.

Rigid, fast and sands easily.





Quick Fix Epoxy FILLER

Putty epoxy used like filler, easily adjustable to the size and shape of the damage. Dries fast sands easily.



Item	Capacity Ounces grams	Set
QF	9 oz / 266 gr	1





Padded Dash Fill

Formulated from special polyester resins that increases adhesion and flexibility while repairing vinyl and other plastic substrates (arm rests, console covers, dashes and bumpers).

Item	Capacity Ounces/milliliters	Set
2050-9	4 fl.oz / 118 ml	4
1046	I fl.oz / 28.4 ml	1





### Dash Putty Powder & Liquid Vinyl

FILLER

The combination of "Dash Putty Powder" and "Liquid Vinyl" will give you an flexible & resistant compound with a unique adhesion on vinyl and plastics. It works as a flexible topcoat over larger repaired areas.

- Easy application
- Sandable
- · Fast air drying

Item	Capacity Ounces/milliliters	Set	
4909A-4	4 oz (vol) / 118 ml (vol)	ï	
4909-8	8 fl.oz / 473 ml	1	
4909-16	16 fl.oz / 473 ml	i	





Dash & Plastic Repair Products

Thin viscosity, low heat cured compound for delicate vinyl, plastic and leather. Use for strength on structural damage when needed.

Can topcoat with air dry fillers for blending.

### Features:

- Flexible
- Sandable



Item	Capacity Ounces/milliliters	Set
FW-2	2 fl.oz / 59 ml	1
FW-4	4 fl.oz / 118 ml	1
FW-16	16 fl.oz / 473 ml	1
FW-G	128 fl.oz / 3785 ml	1

128 fl.oz / 3785 ml

Flexible heat cured compound with maximum filling qualities. Use for severe damage

### Features:

- Flexible
- Texture capability

where holes and

tears are present.



Capacity Set Item Ounces/milliliters VRC-2 2 fl oz / 59 ml 4 fl. oz / 118 ml VRC-4 VRC-16 16 fl.oz / 473 ml VRC-G 128 fl.oz / 3785 ml

MEDIUM CLEAR THICK CLEAR WHITE BLACK BLUE DARK BROWN GREEN DARK GREEN MAROON ORANGE RED YELLOW YELLOW OXIDE AVAILABLE COLORS

### **Bull Dog Compound**

**HEAT CURED** 

Medium density, extra flexible & extra strength heat cured compound with maximum filling qualities. Use for severe damage where holes and tears are present.

### Features:

- Clear
- Extra Flexible
- Extra Strength
- Texture capability




Item	Capacity Ounces/milliliters	Set
BD-2	2 fl.oz / 59 ml	1
BD-4	4 fl.oz / 118 ml	1
BD-16	16 fl.oz / 473 ml	1
BD-G	128 fl.oz / 3785 ml	ĩ

### Gator Grip Compound

**HEAT CURED** 

Very sticky & flexible heat cured compound with maximum filling qualities. Use for severe damage where holes and tears are present.

- Clear
- Sandable
- Medium Thick
- Very Sticky
- Texture capability





A heavy duty heat cure repair

compound for leather and vinyl.

Excellent adhesion, flexibility and

durability and is sandable. Thick

viscosity compound will not shrink.

fine grinded up fiber mesh built into the compound. It can be stretched like a very thick rubber band with the same type of elasticity.

### Features:

Fiber Compound

- Flexible
- · Sandable
- Texture capability


Item	Capacity Ounces/milliliters	Set
VRCF-2	2 fl.oz / 59 ml	i
VRCF-4	4 fl. oz / 118 ml	1
VRCF-16	16 fl oz / 473 ml	1
VRCF-G	128 floz / 3785 ml	1

Dash

## Dash & Plastic Repair Products

### Features:

- Flexible
- Sandable
- Texture capability






### Compound Duller

**HEAT CURED ADDITIVE** 

Used for dulling the shine of any cured compound.

### Features:

- Rid of any shine
- · Add 3-5%



Compound Thinner HEAT CURED ADDITIVE

Mian Products, la

Used to thin out any heat compound if not already cured. Will make it nice an creamy - easy to spread.

Item	Capacity Ounces/milliliters	Set
T12-2	2 fl.oz / 59 ml	1
T12-Q	32 fl.oz / 946 ml	1



Dash & Plastic Repair Products

Water Base milky product used for putting texture back over the repaired area.

### Features:

- · Fine to medium grain
- · Water Base
- Color Tan
- Dries Semi Clear
- Low Density
- Flexible
- Sandable

Item	Capacity Ounces/milliliters	Set
VM12-A	11.25 fl.oz / 319 gr	1
VM12-4	4 fl oz / 118 ml	1
VM12-P	16 fl.oz / 473 ml	1
VM12-Q	32 fl.oz / 946 ml	1



Water Base clear product used for restoring and blending a texture over the repaired area.

### Features:

- · Fine to heavy grain
- · Water Base
- Color Clear
- · Dries Clear
- · Low Density
- Flexible
- · Sandable

Item	Capacity Ounces/milliliters	Set
WBSG-A	12 fl.oz / 340 gr	1
WBSG-4	4 fl.oz / 118 ml	1
WBSG-16	16 fl.oz / 473 ml	1
WBSG-32	32 fl.oz / 946 ml	1
WBSG-G	128 fl oz / 3785 ml	-1



Water Base Spray Grain #2

TEXTURE

Water Base milky product used for restoring and blending a texture over the repaired area.

### Features:

- Fine to Heavy Grain
- Water Base
- Color Milky
- · Dries Semi Clear
- Med Density
- Flexible
- Sandable

Item	Capacity Ounces/milliliters	Set	
WBSG2-4	4 fl.oz / 118 ml	1	
WBSG2-8	8 fl oz / 237 ml	1	
WBSG2-16	16 fl.oz / 473 ml	1	
WBSG2-32	32 fl.oz / 946 ml	1	
WBSG2-G	128 fl. oz / 3785 ml	1	



Water Base Gray Grain

TEXTURE

Water Base medium density gray product used for restoring and blending a texture over the repaired area.

- · Fine to Medium Grain
- Water Base
- Color Gray
- Dries Gray
- Med Density
- · Flexible
- Sandable

Item	Capacity Ounces/milliliters	Set
GG1-2	2 fl.oz / 59 ml	ì
GG1-4	4 fl oz / 118 ml	1
GG1-16	16 fl oz / 473 ml	ì



grain.

Features:

Flexible

Sandable

Item

Water Base

A thick bodied texture that can be

product holds your texture very

well after drying. Can be sanded

lightly to even your

Fine to Heavy Grain

used for a light to heavy grain. This

Dash & Plastic Repair Products

Unique blend of flexible materials designed to be used for retexturing repaired areas on padded dashboards, instrument panels, consoles, vinvl roofs

etc.

Fine to Heavy Grain

and bumper covers,

Sandable

SUPERIO  Satoration Products,	R
SUPTE	
MATIBLE TEXTURE MATE  MOVE REEND OF FERM  MASS DESIGNED TO BE  TO XTURING REPAIR!  ACLA UNICA DE MOS  THE REPAIR!  THE REPAIR OF THE SAME  THE SAME OF THE SAME  THE SAME OF THE SAME OF THE SAME  THE SAME OF THE SAME OF THE SAME  THE SAME OF THE SAME OF THE SAME OF THE SAME  THE SAME OF THE SAM	10 ENE
HARL SOLD IN NO.	1

### Features:

Suptex Aerosol

- Solvent Base
- · Dries Black

Item	Capacity Ounces/milliliters	Set
SUPTEX-A	13 fl.oz / 369 gr	1

### 2 fl.oz / 59 ml TP-2 TP-4 4 fl.oz / 118 ml 16 fl.oz / 473 ml TP-16

Capacity

Ounces / milliliters


Set

### Flex-Tex

A unique blend of flexible materials designed to be used for re-texturing repaired areas on padded dashes, instrument panels, consoles, vinyl roofs, rubber bumper

### Features:

- Fine to Heavy Grain
- Solvent Base
- Dries Black
- Sandable







TEXTURE





PERIO

Two-component process used to recreate the exact texture in the repaired area without applying heat.

Used in combination with Clone Activator.

### **Features:**

- · Cold process
- Flexible

			191	IC CL
Item	Capacity Ounces   milliliters	Set	MPERIOR	RPUTTING !! !APPRESSION RETAIRED ! PEREAR LAT LA ZONA REF.
PC-A	11.25 fl.oz / 319 ml	1:	PLAST	HOUSE ON SIXE
PC-4	4 fl.oz / 118 ml	1	CLU	
DOLLE	100 - 1100 - 1	- 1		

Used on combination with Leather Clone.

Chemical reaction of components clones the original texture.

### Features:

· Water Base

Clone Activator



Item	Capacity Ounces/milliliters	Set
CA-4	4 fl.oz / 118 ml	1
CA-8	8 fl.oz / 237 ml	1(6)

### Miracle Dash Texture A & B

TEXTURE

A thick bodied texture that can be used for a light to heavy grain. This product holds your texture very well after drying. Can be sanded lightly to even your grain.

- Texture by Reaction
- · Solvent Base
- Dries Clear
- Sandable

Item	Capacity Ounces/milliters	Set	
MDTA-4	4 fl.oz / 118 ml	1	
MDTA-A	11.25 fl.oz / 319 gr	Ļ	
MDTB-4	4 fl.oz / 118 ml	1	
MDTB-A	11.25 fl.oz / 319 gr	Ī	







**TEXTURE** 

Black Chip Guard

**TEXTURE** 

Dash

Dash & Plastic Repair Products

Durable acrylic coatings that match light to medium OEM textures and protect lower panels from impact,

chipping, and abrasion.

### Features:

- · Fine to medium grain
- Solvent Base
- Dries Clear
- Sandable

Item



Water Base clear product used for restoring and blending a texture over the repaired area.

### Features:

Fine to medium grain

Capacity

Ounces milliliter

14.8 fl oz / 420 gr

- · Solvent Base
- · Dries Black
- Sandable

Item

39813

**Texture Coating** 



SEM) 39813
SATIN BLACK CHIP GUARD
Service country and country for the medical COUNTRY CO
N7 (M. 14.2 St. / 6772

**TEXTURE** 

### 39803 14.8 fl.oz / 420 gr

Capacity

Ounces / milliliters

### Heavy Texture Chip Guard

**TEXTURE** 

Aerosol coating that matches medium to coarse OEM textures and protects lower panels from impact, chipping and

Set

abrasion.

### Features:

- Medium to Heavy Grain
- · Solvent Base
- · Dries Black
- Sandable



A unique blend of flexible materials for restoring the textured finish on bumpers, dashes, fiberglass tops

Set

and other plastic parts prior to painting.

### Features:

- · Fine to Heavy Grain
- Solvent Base
- · Dries Black
- Sandable



Item	tem Capacity Ounces/milliliters	
39853	16 fl.oz / 454 gr	1

### Capacity Item Set Ounces/ milliliters 39793 14.8 fl.oz / 420 gr

### Graining Compound & Graining Catalyst

**TEXTURE** 

Silicone compound combined with catalyst to create a flexible graining pad.

This pad can be used to recreate the exact grain pattern of the original material.

Item	Capacity Ounces/milliliters	Sec
GCC	1/2 fl.oz / 15 ml	1
GC-4	4 fl.oz / 118 ml	1
GC-16	16 fl.oz / 473 ml	1



### Graining Kit


**TEXTURE** 

This dual mix gun and cartridge dispenser supplies equal amounts of compound and catalyst so there is no waste and the product ages the same.

There are 25 types of pads available in the most common grains,

as well as 6 types of graining papers (used with a mini-iron).

It produces a more defined grain and it does not leave a silicone outline.






### Graining Pads & Granining Papers

### TEXTURE

GPS-6





### **Features:**

- Maximum resistance
- · Easy handling
- Wide Range



Item	Description	
GR-870L	4" Palette Knife	1
GR-870	3" Palette Knife	1
GR-872	Small Palette Knife	- E
M870-9200	Metal Comp. Tool Double Sided	1
20396	Meadium Spreaders	1



### Scissors

SCISSORS-SM

### **TOOLS & EQUIPMENT**

SCISSORS-LG

Size

Small

Large

Set

1

Item

SCISSORS - SM

SCISSORS - LG

Strong stainless steel blades.
Resistant to rust, corrosion and to adhesives such as glue and tape, making them ideal for almost any kinds of tasks. Ergonomic design for precision control and max comfort.

### Blades

### **TOOLS & EQUIPMENT**

Single edge razor blades. Fits all standard razor blade tools. .009" / .2286mm





Dash


## Dash & Plastic Repair Products

VSP-A

Dash


### Reinforces and secures your repairs. Features: Strong Flexible Item Description Set VM-I 12"x 36" Vinyl Mesh 1 VSP Subpatch Material 1

VM-1





Subpatch Material w/Adhesive



### UT-100SIK

Fantastic multiuse source of cordless heat. Lightweight, portable and self sufficient butane powered.





Item	Description	Set	3
UT-100SI	Self Igniting Ultra Torch	1	70
UT-100SIK	Self Igniting Ultra Torch with Metal Case	ď	79
UT-200	Jumbo Ultra Torch	1.	7
UT-200SI	Self Igniting Jumbo Ultra Torch	1	7.

Item	Description	Set	Item	Description	Set
70-01-14	Adapter for UT-100	L	72-07TU	Ejector for UT-200	E
70-01-52	Heat Tip for UT-100	1	80-04U	Burner for UT-100SI	1
72-01-02	Heat Tip for UT-200	1	80-07U	Ejector for UT-100SI	1
72-01-14	Adapter for UT-200SI	Ĺ	82-04U	Burner for UT-200SI	Í.
72-01-52	Standard Tip for UT-200	1	82-07U	Ejector for UT-200SI	1

### REQUEST FURTHER INFORMATION ON ALL AVAILABLE MODELS

### Heat Guns and Hair Dryer

### **TOOLS & EQUIPMENT**

Accelerates drying process and cures compounds conveniently, safely and quickly. Choose from electrical versions (220 & 110 Volts) or the innovative butane heat gun system (fully cordless).




Dash


## Dash & Plastic Repair Products

The Mini-Weld Model 6 Airless Plastic Welder is a complete, easy-to-use kit that you can use to repair all kinds of plastic quickly and easily.

### Features:

- Weld high-melting-point plastics (like nylon radiator tanks) quickly and easily with the 80 watt element.
- With seven types of standard welding rod, you will be able to match virtually any type of automotive plastic. (Includes more than 30 yards of materials)
- "Problem plastics" like TEO, TPO, and Polypropylene are no problem to repair with the included FiberFlex universal rod.





- Reinforcing mesh to create repairs that are often stronger than the original part and a welder stand to rest your welder on when not in use.
- Completely removable unit from the briefcase, for a greater comfort and accessibility of work.



KIT INCLUDES: 15ft Polyurethane Rod, 15ft Polypropylene Rod, 15ft ABS Rod, 15ft Polyethylene Rod, 15ft TPO Rod, 15ft Nylon Rop, 4ft Polycarbonate Rod, 15ft FiberFlex, 80W Element, Standard Welding Tip, Round Welding Tip, Reinforcing Wire, Suitcase & Training Manual.

Item	Description	Set
5600HT	Airless Plastic Welder	1



We have available all parts, rods & accessories for plastic welders. They can be ordered separately.



Dash

## Dash & Plastic Repair Products

An entirely portable and disposable unit, which combines convenient spraying at the push of a button, with the versatility and economy of a reusable container.

These spray tools can be used for the application of texturing products, adhesives

and color coats. Also available are the mixing 6oz glass jar (466) and 4oz plastic bottle (MT-4).

Item	Description	Set	
465	Preval Power Unit	1	
466	6oz Glass Jar	j	
MT-4	4oz Plastic Jar	1	







REVAL

### Scuff Pads

### **TOOLS & EQUIPMENT**





### Health & Safety

comes first.

### **TOOLS & EQUIPMENT**



Don't forget that safety





## Dash & Plastic Repair Products

### PRODUCTS INCLUDED

Z7-P - Vinyl & Leather Cleaner - 16 oz.

S100-P - Silicone Wash - 16 oz

VPPS-P - Vinyl & Plastic Prep - 16 oz

FW-2 - Final Weld - 2 oz

VRC-2 - Vinyl Repair Compound - Medium - 2 oz

VRC-2 - Vinyl Repair Compound - Thick - 2 oz

HDC-2 - Heavy Duty Compound - 2 oz

BD-2 - Bulldog Compound - 2 oz

VF1-2 - Vinyl Thin Filler - 2 oz

VFG - Vinyl Flex Gel - 2 oz

BC-6 - Barrier Coat - 6 oz

PT-08 - Bond CA - 1 oz

PT-32 - Flex Bond - 1 oz

SPG - Power Gel - 1 oz

PT-15 - Bond Kicker - 2 oz

GC-4 - Graining Compound - 4 oz

GCC - Graining Catalyst - 1/2 oz

WBSG-A - Water Base Spray Grain - Aerosol

GP1 x6 - Graining Pads

### PRODUCTS INCLUDED

20396 - Spreader

GR-870 - Palette Knife

TW6 - Tweezers

RZ-B - Razor Blade

465 x6 - Preval Sprayer

466 x6 - Preval Glass Jar

400 Xo - Frevai Glass Jai

5507 - Preval Bottons - few extra

5519 - Preval Tubes - few extra

EC-100K - Heat Gun

W/D x5 - Sandpaper

VSP-A - Subpatch Material

VM-1 - Vinyl Mesh

BPT - Box of Paper Towels

07747 - Scotch Pads

8222L - Vinyl Gloves

961710 - Dust Respirators

Tool Box

VDVD - Vinyl Training DVD

TDVD - Texture DVD

### DRK-S - STARTER DASH REPAIR KIT

### REPAIR KITS

### PRODUCTS INCLUDED

Z7-P - Vinyl & Leather Cleaner - 16 oz

S100-P - Silicone Wash - 16 oz

VPPS-P - Vinyl & Plastic Prep - 16 oz

BC-6 - Barrier Coat - 6 oz

VRC-2 - Vinyl Repair Compound - Clear - 2 oz

HDC-2 - Heavy Duty Compound - Clear - 2 oz

2050-9 - Padded Dash Fill - 9 oz

PT-08 - Bond CA - 1 oz

PT-31 - Black Flex Gel - 1 oz

PT-31C - Clear Flex Gel - 1 oz

SPG - Power Gel - 1 oz.

PT-15 - Bond Kicker - 2 oz

MB-4 - Micro Ballons - 4 oz

PC-4 - Plastic Clone - 4 oz

CA-4 - Clone Activator - 4 oz

39803 - Clear Chip Guard - Aerosol

### PRODUCTS INCLUDED

MDTA-4 - Miracle Dash Texture A - 4 oz

MDTB-4 - Miracle Dash Texture B - 4 oz

GC-4 - Graining Compound - 4 oz

GCC - Graining Catalyst - 1/2 oz

GR-870 - Palette Knife

PP-8 - Plastic Primer - 8 oz

VM-1 - Vinyl Mesh

465 x4 - Preval Sprayer

EC-100K - Heat Gun

W/D x Sandpaper (100/180/220/320/400)

RZ-B - Box of Razor Blades

07747 - Scotch Pads

8222L - Vinyl Gloves

961710 - Dust Respirators

DDVD - Dash Training DVD

TDVD - Texture DVD

### PRODUCTS INCLUDED

1000-A - Super Clean Plastic Cleaner - Aerosol

Z7-P - Vinyl & Leather Cleaner - 16 oz

S100-P - Silicone Wash - 16 oz

VPPS-P - Vinyl & Plastic Prep - 16 oz

1050-A - Plastic Magic - Aerosol

BC-6 - Barrier Coat - 6 oz

VRC-2 - Vinyl Repair Compound - Clear - 2 oz

HDC-2 - Heavy Duty Compound - Clear - 2 oz

PT-08 - Bond CA - 1 oz

PT-31 - Black Flex Gel - 1 oz

PT-31C - Clear Flex Gel - 1 oz

PT-32 - Flex Bond - 1 oz

SPG - Power Gel - 1 oz

PT-15 - Bond Kicker - 2 oz

PT-16 - Bond Release - 1 oz

4909-16 - Liquid Vinyl - 16 oz

4909A-4 - Dash Putty Powder - 4 oz

MB-4 - Micro Ballons - 4 oz

QF - Quick Fix Epoxy - 9 oz

2050-9 - Padded Dash Fill - 9 oz

2000-T - Flex Filler II

68422 - Plastic Repair Epoxy

68432 - General Purpose Adhesive

68442 - Clear Fast Adhesive

VM12-4 - Water Base Spray Texture - 4 oz

WBSG-A - Water Base Spray Gram - Aerosol

### PRODUCTS INCLUDED

3800/4 - Flex Tex - 4 oz

PC-4 - Plastic Clone - 4 oz

CA-4 - Clone Activator - 4 oz

39803 - Clear Chip Guard - Aerosol

SUPTEX-A - Superior Texture - Aerosol

MDTA-4 - Miracle Dash Texture A - 4 oz

MDTB-4 - Miracle Dash Texture B - 4 oz

GC-4 - Graining Compound - 4 oz

GCC - Graining Catalyst - 1/2 oz

GP1 x6 - Graining Pad

GR-870 - Palette Knife

PP-8 - Plastic Primer - 8 oz

VSP-A - Subpatch Material with adhesive

VM-1 - Vinyl Mesh

465 x6 - Preval Sprayer

466 x5 - Glass Jar (fits Preval Sprayer)

EC-100K - Heat Gun

TM-9 - Teflon Mat

CB - Chill Bar

W/D x Sandpaper (100/180/220/320/400)

RZ-B - Box of Razor Blades

07747 - Scotch Pads

8222L - Vinyl Gloves

961710 - Dust Respirators

DDVD - Dash Training DVD

TDVD - Texture DVD

### We are here to help you

### Our support and sales staff



### USA

WEST COAST (HEADQUARTERS): 1767 Tribute Road Suite B SACRAMENTO, CA 95815 Tel.: 800-760-9130 · 916-648-6550 e-mail: superior@superiorrestoration.com

EAST COAST: 2335-H Airport Blvd. WEST COLUMBIA, SC 29710 Tel.: 800-760-0564 · 803-851-1851

e-mail: eastcoast@superiorrestoration.com

### EUROPE

CUSTOMER CARE WAREHOUSE:
Av. Francesc Macià, 89
08402 GRANOLLERS – Barcelona - Spain
Tel.: +34.93.568.90.19 Fax: +34.93.568.90.84
e-mail: europe@superiorrestoration.com

### Sales Locations all over the world

For your closest store contact us at international@superiorrestoration.com

We have fully stocked warehouses located throughout the world to expedite the shipping of our customers supply needs.

We offer sea, land and air delivery of our products, according to your needs.

Shipments will be sent from the best geographical location for faster service and to save with shipping costs.

Request information with no obligation.

